ELSEVIER

Wear 217 (1998) 321

WEAR

Author Index of Volume 217

Adams, D., 276
Armstrong, D.R., 276
Arnell, R.D., 190

Bahadur, S., 62
Bamba, E., 208
Batchelor, A.W., 132, 159
Betancourt-Dougherty, L.C., 147
Bhushan, B., 251
Blanpain, B., 215
Bouten, P.C.P., 237
Bujurke, N.M., 225

Caixia, J., 110
Celis, J.-P., 215
Chang, J.H., 95
Chang, R.J., 167
Chiou, Y.-C., 95
Clark, D.T., 288
Comeau, G., 271

Das, S., 1
De Rooij, M.B., 182
De Wit, E., 215
Diniz, A.E., 7
Duque, C.A., 140

Elliott, D.M., 288

Felipe Jr., J., 7
Ferrari, E.S., 276
Field, J.E., 15
Fiset, M., 271
Fisher, J., 288
Frost, M., 117
Froyen, L., 215
Fu, Y., 132, 159

Gåhlin, R., 231
Gomes, J.J.F., 7
Grenier, M., 271

Hassui, A., 7
He, J., 159
Hsu, S.M., 104
Hu, X., 159
Huard, G., 271

In 't Veld, F.H., 237

Jacob, C., 271
Jacobson, S., 231
Jeong, K.-H., 175
Jiang, J., 35, 190
Jilbert, G.H., 15
Jin, J.-H., 200
Jincheng, X., 110

Karamiş, M.B., 46
Kato, K., 307
Khor, K.A., 132
Kong, H., 262

Lee, K.-R., 262
Lee, R.-T., 95
Lee, Y.-Z., 175
Lin, C.B., 167
Liu, K., 208

Mann, B.S., 56
Meizheng, G., 110
Mishra, R., 297
Mondal, D.P., 1

Naduvinamani, N.B., 225
Nakajima, K., 73
Nozaki, K., 73

Oliveira, J.F.G., 7

Podsiadlo, P., 24
Prasad, B.K., 1

Ray, K.K., 312
Ren, F., 35
Roberts, K.J., 276
Roy, M., 312

Schipper, D.J., 182
Scholten, H., 237
Sert, H., 46
Seshadri, V., 297
Sheng, F., 35
Singh, S.N., 297
Slikkerveer, P.J., 237
Smith, R.W., 147
Stachowiak, G.W., 24
Stephenson, D.J., 200
Sundararajan, G., 312
Sundararajan, S., 251

Tang, B., 159
Tárrago, J., 140
Tevruz, T., 81
Tianmin, W., 110

Vadillo, E.G., 140
Vairis, A., 117

Wang, D.F., 307
Wang, Y., 104, 132
Weng, W.P., 167

Xu, K., 159

Yoon, E.-S., 262

Zhao, Q., 62
Zhu, X., 159
Zubiaurre, G.G., 140

Elsevier Science S.A.

ELSEVIER

Wear 217 (1998) 323–326

WEAR

Subject Index of Volume 217

Abrasion
  erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56
Abrasive surface
  micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231
Abrasive wear
  micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231
  three-body impact-abrasion laboratory testing for grinding ball materials, 271
Aluminium SiC particle composites
  study of erosive–corrosive wear characteristics of an aluminium alloy composite through factorial design of experiments, 1
Aluminum matrix graphite particulate composite
  a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
Amorphous carbon nitride coating
  friction studies of ion beam assisted carbon nitride coating sliding against diamond pin in water vapor, 307
Amorphous debris
  the tribochemical behaviour of TiN-coatings during fretting wear, 215
Anisotropic permeability
  a note on squeeze film between rough anisotropic porous rectangular plates, 225
Anti-corrosion/wear additive
  an examination of the reactivity of zinc di-alkyl-di-thiophosphate in relation to its use as an anti-wear and anti-corrosion additive in lubricating oils, 276
Applied load
  effects of load and sliding speed on the wear behaviour of plasma sprayed TiC–NiCrBSi coatings, 147
Asperity
  lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104
Atomic force microscopy (AFM)
  micro/nanotribological studies of polysilicon and SiC films for MEMS applications, 251

Boronizing
  erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56
Boundary fractal dimension
  evaluation of boundary fractal methods for the characterization of wear particles, 24
Boundary layer
  erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56

Carbon steel
  modelling of two-body abrasive wear under multiple contact conditions, 35
Ceramics
  role of smoke from combustion of oil in tribological applications to ceramics, 73
Coatings
  optimum coating thickness for the protection of zinc sulphide and germanium substrates from solid particle erosion, 15
  wear-life diagram of TiN-coated steels, 175
Coefficient of friction
  fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions, 132
Collision
  lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104
Contact
  lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104
Critical scratch load
  wear-life diagram of TiN-coated steels, 175
CrN film
  development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159
Crystalline structure
  development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159

Deformation
  an analysis of the transition from metal erosion to oxide erosion, 312
Diamond-like carbon (DLC) coating
  on the running-in behaviour of diamond-like carbon coatings under the ball-on-disk contact geometry, 190
Disk speed
  effects of load and sliding speed on the wear behaviour of plasma sprayed TiC–NiCrBSi coatings, 147
DLC films
  tribological behavior of sliding diamond-like carbon films under various environments, 262

Elastic hysteresis
  frictional dynamics of the overrunning clutch for pulse-continuously variable speed transmissions: rolling friction, 208
Erosion
  erosion and damage by sharp particles, 237
Erosion–corrosion
  study of erosive–corrosive wear characteristics of an aluminium alloy composite through factorial design of experiments, 1
Erosion wear
  study of wear characteristics and solid distribution in constant area and erosion-resistant long-radius pipe bends for the flow of multisized particulate slurries, 297
Extrusion die wear
  the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46

Elsevier Science S.A.

Factorial design
study of erosive–corrosive wear characteristics of an aluminium alloy composite through factorial design of experiments, 1
Filled polymers
a study of the modification of the friction and wear behavior of polyphenylene sulfide by particulate Ag_2S and PbTe fillers, 62
Fretting mechanism
fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions, 132
Fretting wear
fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions, 132
Fretting wear debris
the tribochemical behaviour of TiN-coatings during fretting wear, 215
Friction
a study of the modification of the friction and wear behavior of polyphenylene sulfide by particulate Ag_2S and PbTe fillers, 62
tribological behavior of sliding diamond-like carbon films under various environments, 262
friction studies of ion beam assisted carbon nitride coating sliding against diamond pin in water vapor, 307
Friction layer
tribological behavior of sliding diamond-like carbon films under various environments, 262
Fundamental studies
micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231

Galling
a wear measurement method based on the comparison of local surface heights, 182
Gears
experimental investigations on scoring of gears and calculation by temperature method, 81
Glass
erosion and damage by sharp particles, 237
Grinding
experimental evaluation on grinding wheel wear through vibration and acoustic emission, 7
micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231
Grinding ball
three-body impact-abrasion laboratory testing for grinding ball materials, 271
Grit size effect
modelling of two-body abrasive wear under multiple contact conditions, 35

Hardness
a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
Hydrofoil
erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56
Hydroxyapatite coating
fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions, 132

Image processing
a wear measurement method based on the comparison of local surface heights, 182
Impact wear
three-body impact-abrasion laboratory testing for grinding ball materials, 271
Ion beam assisted deposition
the study on the tribological properties of pure iron treated by IBAD, 110
Ion beam assisted deposition (IBM)
friction studies of ion beam assisted carbon nitride coating sliding against diamond pin in water vapor, 307
Ion beam enhanced deposition
development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159
Ion implantation
the study on the tribological properties of pure iron treated by IBAD, 110
IR materials
optimum coating thickness for the protection of zinc sulphide and germanium substrates from solid particle erosion, 15
Iron nitride
the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46

Linear friction welding
high frequency linear friction welding of a titanium alloy, 117
Lubrication
lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104

Measurement method
a wear measurement method based on the comparison of local surface heights, 182
Mechanical properties
erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56
Metal erosion
an analysis of the transition from metal erosion to oxide erosion, 312
Metal removal
effects of pre-rolling and metal removal on the fatigue life of lubricated rolling/sliding contact, 95
Micro/nanotribology
micro/nanotribological studies of polysilicon and SiC films for MEMS applications, 251
Microelectromechanical systems (MEMS)
micro/nanotribological studies of polysilicon and SiC films for MEMS applications, 251
Microhardness
development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159
Micro mechanical
micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231
Microstructure
development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159
Molecular modelling
an examination of the reactivity of zinc di-alkyl-di-thiophosphate in relation to its use as an anti-wear and anti-corrosion additive in lubricating oils, 276
Monitoring
experimental evaluation on grinding wheel wear through vibration and acoustic emission, 7

Nanocrystalline debris
the tribochemical behaviour of TiN-coatings during fretting wear, 215
Nickel aluminide intermetallics
the sliding wear behaviour of reactively hot pressed nickel aluminides, 200
Nitriding
the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46

Oil
role of smoke from combustion of oil in tribological applications to ceramics, 73
Ore grinders
three-body impact-abrasion laboratory testing for grinding ball materials, 271
Overrunning clutch
frictional dynamics of the overrunning clutch for pulse-continuously variable speed transmissions: rolling friction, 208
Oxidative wear
the sliding wear behaviour of reactively hot pressed nickel aluminides, 200
Oxide erosion
an analysis of the transition from metal erosion to oxide erosion, 312

PACVD
tribological behavior of sliding diamond-like carbon films under various environments, 262
PEEK
effect of counterface surface roughness and its evolution on the wear and friction of PEEK and PEEK-bonded carbon fibre composites on stainless steel, 288
PEEK-bonded carbon fibre composites
effect of counterface surface roughness and its evolution on the wear and friction of PEEK and PEEK-bonded carbon fibre composites on stainless steel, 288
Pipe bends
study of wear characteristics and solid distribution in constant area and erosion-resistant long-radius pipe bends for the flow of multisized particulate slurries, 297
Plasma spray
effects of load and sliding speed on the wear behaviour of plasma sprayed TiC–NiCrBSi coatings, 147
Plastic flow
effects of pre-rolling and metal removal on the fatigue life of lubricated rolling/sliding contact, 95
Plough
a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
Polysilicon films
micro/nanotribological studies of polysilicon and SiC films for MEMS applications, 251
Porous
a note on squeeze film between rough anisotropic porous rectangular plates, 225
Prerolling operation
effects of pre-rolling and metal removal on the fatigue life of lubricated rolling/sliding contact, 95
Pulse-continuously variable speed transmission (pulse-CVT)
frictional dynamics of the overrunning clutch for pulse-continuously variable speed transmissions: rolling friction, 208
Pure iron
the study on the tribological properties of pure iron treated by IBAD, 110
PVD coating
the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46

Quantum chemistry
an examination of the reactivity of zinc di-alkyl-di-thiophosphate in relation to its use as an anti-wear and anti-corrosion additive in lubricating oils, 276

Rail corrugation
effect of sleeper distance on rail corrugation, 140
Rail dynamics
effect of sleeper distance on rail corrugation, 140
Reactive processing
the sliding wear behaviour of reactively hot pressed nickel aluminides, 200
Rolling fatigue life
effects of pre-rolling and metal removal on the fatigue life of lubricated rolling/sliding contact, 95
Rolling friction
frictional dynamics of the overrunning clutch for pulse-continuously variable speed transmissions: rolling friction, 208
Running-in behaviour
on the running-in behaviour of diamond-like carbon coatings under the ball-on-disk contact geometry, 190

Sandblasting
erosion and damage by sharp particles, 237
Scoring
experimental investigations on scoring of gears and calculation by temperature method, 81
Scoring on gears
experimental investigations on scoring of gears and calculation by temperature method, 81
Scratch
lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104
Scratching
effect of counterface surface roughness and its evolution on the wear and friction of PEEK and PEEK-bonded carbon fibre composites on stainless steel, 288
Silicon
micromechanical manufacturing of abrasive surfaces for fundamental studies on wear and grinding, 231
Silicon carbide films
micro/nanotribological studies of polysilicon and SiC films for MEMS applications, 251
Single crystal silicon
friction studies of ion beam assisted carbon nitride coating sliding against diamond pin in water vapor, 307
Sliding in water vapor
friction studies of ion beam assisted carbon nitride coating sliding against diamond pin in water vapor, 307
Sliding wear
the sliding wear behaviour of reactively hot pressed nickel aluminides, 200
Slurry pipelines
study of wear characteristics and solid distribution in constant area and erosion-resistant long-radius pipe bends for the flow of multisized particulate slurries, 297
Smoke
role of smoke from combustion of oil in tribological applications to ceramics, 73
Solid distribution
study of wear characteristics and solid distribution in constant area and erosion-resistant long-radius pipe bends for the flow of multisized particulate slurries, 297
Solid particle erosion
optimum coating thickness for the protection of zinc sulphide and germanium substrates from solid particle erosion, 15
Specific wear energy
modelling of two-body abrasive wear under multiple contact conditions, 35
Squeeze film
a note on squeeze film between rough anisotropic porous rectangular plates, 225
Stainless steel
effect of counterface surface roughness and its evolution on the wear and friction of PEEK and PEEK-bonded carbon fibre composites on stainless steel, 288

Stainless steel martensitic cast and forged
erosion visualisation and characteristics of a two dimensional diffusion treated martensitic stainless steel hydrofoil, 56
Surface modification
the study on the tribological properties of pure iron treated by IBAD, 110
Surface roughness
wear-life diagram of TiN-coated steels, 175
a note on squeeze film between rough anisotropic porous rectangular plates, 225

TEM
the tribochemical behaviour of TiN-coatings during fretting wear, 215
Tensile
a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
Ti 6Al 4V
high frequency linear friction welding of a titanium alloy, 117
Ti compounds
the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46
TiN film
wear-life diagram of TiN-coated steels, 175
TiN wear
the role of PVD TiN coating in wear behaviour of aluminium extrusion die, 46
Titanium carbide–Colmonoy 6 coating
effects of load and sliding speed on the wear behaviour of plasma sprayed TiC–NiCrBSi coatings, 147
Titanium nitride
wear-life diagram of TiN-coated steels, 175
Transfer film
a study of the modification of the friction and wear behavior of polyphenylene sulfide by particulate Ag_2S and PbTe fillers, 62
Tribo-chemistry
tribological behavior of sliding diamond-like carbon films under various environments, 262
Tribological
a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
Tribology
wear-life diagram of TiN-coated steels, 175
Tribology properties
development and characterization of CrN films by ion beam enhanced deposition for improved wear resistance, 159
Two-body abrasion
modelling of two-body abrasive wear under multiple contact conditions, 35

Ultramicrotomy
the tribochemical behaviour of TiN-coatings during fretting wear, 215
Unlubrication
fretting wear behaviors of thermal sprayed hydroxyapatite (HA) coating under unlubricated conditions, 132

Viscous shear
frictional dynamics of the overrunning clutch for pulse-continuously variable speed transmissions: rolling friction, 208

Wear
study of erosive–corrosive wear characteristics of an aluminium alloy composite through factorial design of experiments, 1
a study of the modification of the friction and wear behavior of polyphenylene sulfide by particulate Ag_2S and PbTe fillers, 62
lubricated friction and wear simulation of multi-scratches in asperity–asperity contact, 104
a study on process and tribological behavior of Al alloy/Gr.(p) composite, 167
a wear measurement method based on the comparison of local surface heights, 182
tribological behavior of sliding diamond-like carbon films under various environments, 262
Wear-life diagram
wear-life diagram of TiN-coated steels, 175
Wear-limit
wear-life diagram of TiN-coated steels, 175
Wear modelling
modelling of two-body abrasive wear under multiple contact conditions, 35
Wear particles
evaluation of boundary fractal methods for the characterization of wear particles, 24
Wear properties
the study on the tribological properties of pure iron treated by IBAD, 110
Wear resistance
effects of load and sliding speed on the wear behaviour of plasma sprayed TiC–NiCrBSi coatings, 147
Wear simulation and modelling
on the running-in behaviour of diamond-like carbon coatings under the ball-on-disk contact geometry, 190
Welding machine design
high frequency linear friction welding of a titanium alloy, 117
Wheel life
experimental evaluation on grinding wheel wear through vibration and acoustic emission, 7
Wheel wear
experimental evaluation on grinding wheel wear through vibration and acoustic emission, 7

Zinc di-alkyl-di-thiophosphate
an examination of the reactivity of zinc di-alkyl-di-thiophosphate in relation to its use as an anti-wear and anti-corrosion additive in lubricating oils, 276